



Related Product:

C-Soft and ADHB-4

Question:

I want to be able to hear select audio in my headset and also on my speakers. How can I do this?

Solution:

Note: This solution is only applicable when using a Telex ADHB-4 and C-Soft version 6.200 or higher.

There are 2 possible ways to have select audio heard in the speakers; the first one shown is using the ADHB-4 Global Parameters page. Following the next 3 steps will have select audio always present on the speakers.

From the C-Soft Runtime screen, right click on the message bar

can e sorr console reensupportozoz.	veg					
			Right Clicl	k here	RDHBH	IR:
Active mergent					Mute	
Emergency, History,						
					TT	
Call Manual						
List Call List	1	MDC1200		Iden Pho	le	
1.4				1.2		
	one Mute	2INK FAIL		lden Fre	s Mute	2
30						

The Global Parameters page will be displayed

utton Speaker Num	bers										
Button Speaker Numbers On											
Select Speaker											
Always On											
Off When Headset Connected											
1ic Control											
Mic Select Enable	Desk Mic	•									
IENA Control	lio to Select Speaker										
IENA Control Route NENA Aud ine / Speaker List Line Name	lio to Select Speaker	*									
IENA Control Route NENA Aud ine / Speaker List Line Name none	tio to Select Speaker Unselect Speaker # 2	- III									
IENA Control Route NENA Aud ine / Speaker List Line Name none EFJ5300	tio to Select Speaker Unselect Speaker # 2 2	* III									
IENA Control Route NENA Aud ine / Speaker List Line Name none EFJ5300 Ni223plus	lio to Select Speaker Unselect Speaker # 2 2 2	•									
ENA Control Route NENA Aud ine / Speaker List Line Name none EFJ5300 Ni223plus NI223plusphone	lio to Select Speaker Unselect Speaker # 2 2 2 2 2 2	•									
IENA Control Route NENA Aud ine / Speaker List Line Name none EFJ5300 Ni223plus NI223plusphone TK790	lio to Select Speaker Unselect Speaker # 2 2 2 2 2 2 2 2	•									
IENA Control Route NENA Aud ine / Speaker List Line Name none EFJ5300 Ni223plus NI223plusphone TK790 Line 6	lio to Select Speaker # Unselect Speaker # 2 2 2 2 2 2 2 2 2 2 2 2 2 2										

Select the "Always On" for the Select Speaker as shown by the red arrow.

IB-4 Global		×									
Button Speaker Num	nbers										
Button Speaker Numbers On											
Select Speaker											
Always On		3									
Off When Heads	set Connected										
Mic Control											
	e Desk Mic	-									
Mic Select Enable NENA Control Route NENA Auc	lio to Select Speaker										
Mic Select Enable NENA Control Rena Control Rena Rena Auc Line / Speaker List Line Name	dio to Select Speaker										
Mic Select Enable NENA Control Route NENA Auc Line / Speaker List Line Name pope	dio to Select Speaker Unselect Speaker #	* III									
Mic Select Enable NENA Control Route NENA Auc Line / Speaker List Line Name none EFJ5300	dio to Select Speaker Unselect Speaker # 2 2	•									
Mic Select Enable NENA Control Cine / Speaker List Line Name none EFJ5300 Ni223plus	dio to Select Speaker Unselect Speaker # 2 2 2										
Mic Select Enable NENA Control Route NENA Aud Line / Speaker List Line Name none EFJ5300 Ni223plus NI223plusphone	dio to Select Speaker Unselect Speaker # 2 2 2 2 2										
Mic Select Enable NENA Control Route NENA Aud Line / Speaker List Line Name none EFJ5300 Ni223plus NI223plus NI223plusphone TK790	lio to Select Speaker Unselect Speaker # 2 2 2 2 2 2 2										
Mic Select Enable NENA Control Route NENA Aud Line / Speaker List Line Name none EFJ5300 Ni223plus NI223plusphone TK790 Line 6	dio to Select Speaker Unselect Speaker # 2 2 2 2 2 2 2 2 2 2 2 2 2 2										

Now close the window.

You should now have select audio always present at the speaker and the headset earpiece.

The second solution requires that a button be added to the design, this would allow a single press to switch the above function ON or OFF.



The following steps will walk you through on adding a Select Speaker Control button.

- C-Soft Designe	er 👘		-	_	-	-
<u>File Edit Insert</u>	<u>V</u> iew <u>R</u> un <u>H</u> elp					
🖻 🖼 🛛 👗	₽a 🖻 🢡	$\stackrel{+}{\longleftrightarrow} \stackrel{-}{\longleftrightarrow}$	+1 -1	5 → ←	• †	↓ 🕨
				Reserve	d for Cor	isole Status
o lone	Properties Increase Height Decrease Height Increase Width Decrease Width		Click F	Properties		
UI Element Setup Type Colors UI Element:	Button					×
Filter: All UI Element Fur	nction:	•				
Line to Associa	ate Function With: e 1	T				
			ОК			

UI Element Setup	
Type Colors	
UI Element: Button	
Filter: All 🗸	
UI Element Function:	
Active Emergency Window	
Line to As: ADHB-4 Mic Control ADHB-4 Select Speaker Control	
Alert Annunciation	
Autodial Backup Line Call List Window	Select ADHB-4 Select
Consenatoh	Speaker Control
	OK
III Element Setun	X
UI Element Setup	
UI Element Setup	
UI Element Setup Type Colors UI Element: Button	
UI Element Setup Type Colors UI Element: Button	
UI Element Setup Type Colors UI Element: Button Filter: All	
UI Element Setup Type Colors UI Element: Button Filter: All UI Element Function:	
UI Element Setup Type Colors UI Element: Button Filter: All UI Element Function: ADHB-4 Select Speaker Control	
UI Element Setup Type Colors UI Element: Button Filter: All UI Element Function: ADHB-4 Select Speaker Control Line to Associate Function With:	
UI Element Setup Type Colors UI Element: Button Filter: All UI Element Function: ADHB-4 Select Speaker Control Line to Associate Function With: Line 1	
UI Element Setup Type Colors UI Element: Button Filter: All UI Element Function: ADHB-4 Select Speaker Control Line to Associate Function With: Line 1	
UI Element Setup Type Colors UI Element: Button Filter: All UI Element Function: ADHB-4 Select Speaker Control Line to Associate Function With: Line 1	
UI Element Setup Type Colors UI Element: Button Filter: All UI Element Function: ADHB-4 Select Speaker Control Line to Associate Function With: Line 1	

TELEX	- C-So	oft	Desig	ne	r																															
<u>F</u> ile	<u>E</u> di	t	Insert	:	<u>V</u> ie	w	<u>R</u>	un	ŀ	lelp	þ																									
	•	2	8)	Ē	2	l	2		?		+	+	•	F	÷	+	ţ	-	-t		D			►	+		1	1		t]		
																							F	les	sei	ve	d t	for	C	on	so	le	St	atı	us	в
		S	oeake	er																																
	. (୍	Off																																	
		2	4																																	

This button will allow you to have select audio in the speaker at will.

Suggestions or comments:

Contact technical support with suggestions or comments concerning this application note.

Technical Support:

 Email:
 Telexdispatchtechsupport@us.bosch.com

 Fax:
 1-402-467-3279

 Phone:
 1-800-898-6723

Bosch Security Systems, Inc. 8601 East Cornhusker Highway Lincoln Nebraska 68507

Phone: (800) 752-7560 Fax: (402) 467-3279

Email: <u>Telexdispatch@us.bosch.com</u> Web: <u>www.telex.com</u> Select Speaker always ON